

PRODUCT	MINIMUM STORAGE TEMP (°F)	RECOMMENDATIONS/NOTES
ACIDIPHACTANT	40°	DO NOT FREEZE.
ACTAMASTER®	32°	
ACTIVATOR 90	0°	
ALL CLEAR®	0°	
AMAZE GOLD®	32°	DO NOT FREEZE.
AMIGO®	32°	**
ATTACH®	32°	
BLENDMASTER®	0°	
BOND MAX®	32°	
CHOICE® TRIO	20°	**
CHOICE® WEATHER MASTER	0°	
CITRUS WRAP	0°	**
COMPADRE®	32°	DO NOT FREEZE.
COMP-AIDE	0°	
DELTA FORCE™	32°	DO NOT FREEZE.
E-Z MIX	0°	DO NOT FREEZE.
FLAME® SPRAY ADJUVANT	32°	**
FRANCHISE®	32°	**
FREEWAY®	20°	
GUNSMOKE®	20°	**
HERBIMAX®	0°	**
HI-WETT®	40°	**
INFUSE®	32°	**
LI 700® LECI-TECH®	40°	DO NOT FREEZE.
LIBERATE® LECI-TECH®	32°	**
LEAF LIFE® WIDESPREAD® ORGANIC	30°	**
MAXIMIZER®	0°	
MSO® CONCENTRATE with LECI-TECH®	40°	**
PHASE®	20°	**
PHASE® II	32°	DO NOT FREEZE.
QUAD 7	20°	
REIGN®	32°	
REIGN® LC	32°	DO NOT FREEZE.
SCANNER®	0°	
SPREADER 90	0°	
STRIKE FORCE®	40°	**
SURFATE®	32°	**
TACTIC™	40°	DO NOT FREEZE.
TANK & EQUIPMENT CLEANER	*	
THRUST®	*	
TREKKER TRAX®	20°	**

“DO NOT FREEZE” IS NOT BASED OFF OF TEMPERATURE, BUT RATHER THE PROCESS OF LIQUID > SOLID

* NO RECOMMENDED TEMPERATURE FOR STORAGE.

** IF ALLOWED TO FREEZE, WARM TO 70° AND SHAKE WELL

THIS DOCUMENT COMPLIMENTS THE SDS AND LABEL, PLEASE REVIEW SDS AND LABEL FOR STANDARD STORAGE PROCEDURES.

© 2019 Loveland Products, Inc. All Rights Reserved. Always read and follow label directions. All trademarks and service marks displayed are marks of their respective owners.

FOR INTERNAL DISTRIBUTION ONLY

Adjuvant Suggested Storage Stability



TUFF TRAX®	40°	
PRODUCT	MINIMUM STORAGE TEMP (°F)	RECOMMENDATIONS/NOTES
UNFOAMER®	32°	DO NOT FREEZE
VADER®	40°	DO NOT FREEZE
WATER CONDITIONER	0°	
WATERMAXX® 2	32°	
WEATHER GARD COMPLETE	32°	**
WIDESPREAD® MAX	20°	
WM2 CONCENTRATE	32°	

"DO NOT FREEZE" IS NOT BASED OFF OF TEMPERATURE, BUT RATHER THE PROCESS OF LIQUID > SOLID

* NO RECOMMENDED TEMPERATURE FOR STORAGE.

** IF ALLOWED TO FREEZE, WARM TO 70° AND SHAKE WELL

THIS DOCUMENT COMPLIMENTS THE SDS AND LABEL, PLEASE REVIEW SDS AND LABEL FOR STANDARD STORAGE PROCEDURES.

© 2019 Loveland Products, Inc. All Rights Reserved. Always read and follow label directions. All trademarks and service marks displayed are marks of their respective owners.

FOR INTERNAL DISTRIBUTION ONLY

Fungicide Suggested Storage Stability



PRODUCT	MINIMUM STORAGE TEMP (F°)	RECOMMENDATIONS/NOTES
CAPTAN 4L	0°	
CAPTAN 80 WDG	*	
C-O-C-S® WDG	*	
FITNESS®	32°	
INITIATE® 720	32°	AVOID EXCESSIVE HEAT.
MAGISTRATE®	*	
MONSOON®	32°	
POLYRAM® 80DF	*	
PROTOCOL®	32°	
RAMPART®	32°	
ROPER® DF RAINSHIELD™		
SATORI®	32°	

“DO NOT FREEZE” IS NOT BASED OFF OF TEMPERATURE, BUT RATHER THE PROCESS OF LIQUID > SOLID
 * NO RECOMMENDED TEMPERATURE FOR STORAGE.

Herbicide Suggested Storage Stability

PRODUCT	MINIMUM STORAGE TEMP (F°)	RECOMMENDATIONS/NOTES
AMINE 4 2,4-D	25°	**
ASULAM	32°	DO NOT FREEZE.
ATRAZINE 4L	0°	WARM TO 40° AND RECONSTITUTE BEFORE USE IF FROZEN.
ATRAZINE 90 WDG	*	
BALAN® DF	*	DO NOT STORE ABOVE 120°. AVOID STORING IN DIRECT SUNLIGHT.
BROCLEAN®	30°	
BROMAC®	STORE ABOVE 32° & BELOW 100°	IF FROZEN, REMIX BEFORE USING.
BROMAC ADVANCED	STORE ABOVE 32° & BELOW 100°	IF FROZEN, REMIX BEFORE USING.
CLEAN AMINE®	25°	**
COLT® AS	20°	**
COLT® + SALVO®	10°	**
COLT® + SWORD®	10°	**
CROSSBOW® L	10°	
CURBIT® EC	40°	DO NOT FREEZE.
DIURON 4L	10°	IF FROZEN, WARM TO 68° FOR SEVERAL DAYS TO DISSOLVE. SHAKE WELL OR RECIRCULATE BEFORE USING.
DOG FIGHT®	*	
DOUBLE HEADER®		DO NOT STORE OVER 115°.
FORFEIT® 280	STORE ABOVE 32° & BELOW 125°	BULK SHOULD NOT BE PUMPED UNTIL TEMPERATURE IS ABOVE 32°.
HAT TRICK®	20°	
INTENSITY POST-EMERGENCE GRASS HERBICIDE®	40°	
INTENSITY ONE®	40°	
INTIMIDATOR®	40°	
LOW VOL 4	0°	WARM TO 45° AND SHAKE IF FROZEN.
LOW VOL 6	0°	WARM TO 40° AND SHAKE IF CRYSTALIZED/ FROZEN.
MAD DOG®	10°	**
MAD DOG 5.4	10°	**
MAD DOG K6	10°	**
MAD DOG PLUS	10°	**
MAKAZE®	10°	**
MAKAZE YIELD PRO®	10°	**
MATADOR®	0°	
MATADOR® S	10°	
MCP 4 ESTER	0°	IF FROZEN, WARM TO 45° AND SHAKE.
MCP AMINE 4	25°	**
METRIBUZIN 75	*	
MONGOOSE®	*	
PRAMITOL® 25E	32°	

“DO NOT FREEZE” IS NOT BASED OFF OF TEMPERATURE, BUT RATHER THE PROCESS OF LIQUID > SOLID

* NO RECOMMENDED TEMPERATURE FOR STORAGE.

** IF ALLOWED TO FREEZE, WARM TO 70° AND SHAKE WELL

THIS DOCUMENT COMPLIMENTS THE SDS AND LABEL, PLEASE REVIEW SDS AND LABEL FOR STANDARD STORAGE PROCEDURES.

© 2019 Loveland Products, Inc. All Rights Reserved. Always read and follow label directions. All trademarks and service marks displayed are marks of their respective owners.

FOR INTERNAL DISTRIBUTION ONLY

Herbicide Suggested Storage Stability

PRODUCT	MINIMUM STORAGE TEMP (F°)	RECOMMENDATIONS/NOTES
PRE-TECTOR™ PLUS EC	40°	DO NOT FREEZE. SHAKE WELL BEFORE USE.
RIFLE®	25°	
RIFLE® D	STORE ABOVE 30° & BELOW 100°	
SABER®	32°	DO NOT FREEZE.
SALVO®	0°	IF FROZEN, WARM TO 40° AND AGITATE BEFORE USE.
SAVAGE® DS	*	
STEALTH®	40°	IF FROZEN, WARM TO 70° AND PLACE JUG ON ITS SIDE (ROCKING OCCASIONALLY) TO DISSOLVE.
STRATEGY®	40°	DO NOT FREEZE.
STRUT®	32°	DO NOT FREEZE.
SWORD®	32°	
TOP GUN®	32°	
TRI-BAL™	0°	
TRIFLURALIN 10G	*	
TRIFLURALIN HF	40°	DO NOT FREEZE.
WEED BLAST RWC	*	
WHITEOUT®	32°	**

"DO NOT FREEZE" IS NOT BASED OFF OF TEMPERATURE, BUT RATHER THE PROCESS OF LIQUID > SOLID

* NO RECOMMENDED TEMPERATURE FOR STORAGE.

** IF ALLOWED TO FREEZE, WARM TO 70° AND SHAKE WELL

THIS DOCUMENT COMPLIMENTS THE SDS AND LABEL, PLEASE REVIEW SDS AND LABEL FOR STANDARD STORAGE PROCEDURES.

© 2019 Loveland Products, Inc. All Rights Reserved. Always read and follow label directions. All trademarks and service marks displayed are marks of their respective owners.

FOR INTERNAL DISTRIBUTION ONLY

PRODUCT	MINIMUM STORAGE TEMP (F°)	RECOMMENDATIONS/NOTES
BOLL BUSTER®	32°	
DFT 6 EC	*	
MEPIQUAT	ABOVE 32° BELOW 100°	
POTENZA®	ABOVE 32° BELOW 100°	
TAKEDOWN® SC	ABOVE 32° BELOW 100°	**

“DO NOT FREEZE” IS NOT BASED OFF OF TEMPERATURE, BUT RATHER THE PROCESS OF LIQUID > SOLID

* NO RECOMMENDED TEMPERATURE FOR STORAGE.

** IF ALLOWED TO FREEZE, WARM TO 70° AND SHAKE WELL

THIS DOCUMENT COMPLIMENTS THE SDS AND LABEL, PLEASE REVIEW SDS AND LABEL FOR STANDARD STORAGE PROCEDURES.

© 2019 Loveland Products, Inc. All Rights Reserved. Always read and follow label directions. All trademarks and service marks displayed are marks of their respective owners.

FOR INTERNAL DISTRIBUTION ONLY

Insecticide Suggested Storage Stability

PRODUCT	MINIMUM STORAGE TEMP (F°)	RECOMMENDATIONS/NOTES
ACEPHATE 90 WDG	*	
ANARCHY® 70 WP	*	STORE BELOW 115°.
ANARCHY 30 SG	*	STORE BELOW 115°.
BIZATE™ 4SC	*	
BIZATE WDG	*	
CARBARYL 4L	STORE ABOVE 27° & BELOW 100°	
DIAZANON AG-600 WBC	*	**
DIMETHOATE 400	45°	DO NOT FREEZE.
HOLSTER®	10°	
INVERTID®	STORE ABOVE 32° & BELOW 115°	
MALATHION 57 EC	STORE ABOVE 10° & BELOW 131°	
MALATHION 8 AQUAMUL	STORE ABOVE 10° & BELOW 131°	
MALATHION 8E	STORE ABOVE 10° & BELOW 131°	
MATCH-UP®	STORE ABOVE 20° & BELOW 100°	IF FROZEN, WARM TO 50° AND SHAKE TO DISSOLVE.
PERMETHRIN 3.2	10°	IF FROZEN, WARM TO 40° AND SHAKE TO DISSOLVE.
REAPER® CLEARFORM®	*	
SNIPER®	40°	IF FROZEN, WARM TO 60° AND SHAKE BEFORE USE.
SNIPER LFR®	40°	DO NOT FREEZE.
SNIPER HELIOS®	40°	IF FROZEN, WARM TO 60° AND SHAKE BEFORE USE.
SWAGGER®	10°	
TOMBSTONE™	32°	
TOMBSTONE HELIOS®	32°	
UNFORGIVEN®	*	
WARHAWK®	STORE ABOVE 20° & BELOW 100°	IF FROZEN, WARM TO 50-70° AND SHAKE TO DISSOLVE.
WARHAWK® CLEARFORM®	STORE ABOVE 20° & BELOW 100°	IF FROZEN, WARM TO 50-70° AND SHAKE TO DISSOLVE.
WRANGLER®	32°	**

"DO NOT FREEZE" IS NOT BASED OFF OF TEMPERATURE, BUT RATHER THE PROCESS OF LIQUID > SOLID

* NO RECOMMENDED TEMPERATURE FOR STORAGE.

** IF ALLOWED TO FREEZE, WARM TO 70° AND SHAKE WELL

THIS DOCUMENT COMPLIMENTS THE SDS AND LABEL, PLEASE REVIEW SDS AND LABEL FOR STANDARD STORAGE PROCEDURES.

© 2019 Loveland Products, Inc. All Rights Reserved. Always read and follow label directions. All trademarks and service marks displayed are marks of their respective owners.

FOR INTERNAL DISTRIBUTION ONLY

PRODUCT	MINIMUM STORAGE TEMP (F°)	RECOMMENDATIONS/NOTES
ACA® CONCENTRATE 15-0-0	0°	USE PRODUCT WITHIN 14 DAYS OF OPENING. STORE OUT OF DIRECT SUNLIGHT.
ACCOMPLISH® LM	32°	DO NOT FREEZE. STORE OUT OF DIRECT SUNLIGHT.
ACTUATE™		SEE BEST MANAGEMENT PRACTICES GUIDE.
ALTURA™	OK WITH CIRCULATION	SEE BEST MANAGEMENT PRACTICES GUIDE.
ALTURA NST	OK WITH CIRCULATION	SEE BEST MANAGEMENT PRACTICES GUIDE.
ATIVUS™ PK	OK WITH CIRCULATION	SEE BEST MANAGEMENT PRACTICES GUIDE.
AWAKEN® 16-0-2	32°	IF ALLOWED TO FREEZE, WARM TO 70° F AND SHAKE WELL.
AWAKEN® 3D	32°	
BLACK LABEL®	20°	SEE BEST MANAGEMENT PRACTICES GUIDE.
BLACK LABEL ZN	20°	SEE BEST MANAGEMENT PRACTICES GUIDE.
BLACKMAX® 22	OK WITH CIRCULATION	SEE BEST MANAGEMENT PRACTICES GUIDE.
BOROSOL® 10	40°	DO NOT FREEZE.
CIRCA® ZMB	40°	DO NOT FREEZE.
CIRCA ZN	40°	DO NOT FREEZE.
EDTA 9% ZN	40°	DO NOT FREEZE.
EXTRACT POWERED BY ACCOMPLISH®	32°	FREEZING SHOULD BE AVOIDED. IF FROZEN, CIRCULATE AFTER THAWING.
FULLBACK®	0°	
LEVITATE®	32°	
LOKOMOTIVE®	0°	
MARITIME®	32°	
MAXIMUM N-PACT®	20°	DO NOT FREEZE. STORE OUT OF DIRECT SUNLIGHT.
MAXIMUM N-PACT® B	40°	DO NOT FREEZE. STORE OUT OF DIRECT SUNLIGHT.
MAXIMUM N-PACT® K	20°	DO NOT FREEZE. STORE OUT OF DIRECT SUNLIGHT.
N-PACT®	0°	DO NOT FREEZE. STORE OUT OF DIRECT SUNLIGHT.
NITRAIN™ 2.0	STORE BETWEEN 32° & 100°	STORAGE ABOVE 100° FOR EXTENDED PERIODS CAN CAUSE DEGRADATION OF ACTIVE INGREDIENT. IF FROZEN (GEL-LIKE) WARM TO 58°. USE OPEN CONTAINERS WITHIN 30 DAYS.
NITRAIN EXPRESS® 2.0	STORE BETWEEN 32° & 100°	STORAGE ABOVE 100° FOR EXTENDED PERIODS CAN CAUSE DEGRADATION OF ACTIVE INGREDIENT. IF FROZEN (GEL-LIKE) WARM TO 58°. USE OPEN CONTAINERS WITHIN 30 DAYS.
NUTRISYNC® 3D	32°	
NUTRISYNC BORON	32°	
NUTRISYNC COMPLETE 3D	32°	
NUTRISYNC CALCIUM	32°	
NUTRISYNC COPPER	40°	
NUTRISYNC 3D	32°	

“DO NOT FREEZE” IS NOT BASED OFF OF TEMPERATURE, BUT RATHER THE PROCESS OF LIQUID > SOLID

THIS DOCUMENT COMPLIMENTS THE SDS AND LABEL, PLEASE REVIEW SDS AND LABEL FOR STANDARD STORAGE PROCEDURES.

© 2019 Loveland Products, Inc. All Rights Reserved. Always read and follow label directions. All trademarks and service marks displayed are marks of their respective owners.

FOR INTERNAL DISTRIBUTION ONLY

PRODUCT	MINIMUM STORAGE TEMP (F°)	RECOMMENDATIONS/NOTES
NUTRISYNC M	32°	
NUTRISYNC MAGNESIUM	32°	
NUTRISYNC MANGANESE	32°	
NUTRISYNC PHOS	32°	
NUTRISYNC SULFUR	32°	
NUTRISYNC ZINC	32°	
NUTRISYNC MICRO PAK	32°	
PRO IRON 5	32°	DO NOT FREEZE.
PRO MANGANESE 5	32°	
PRO TETRA	40°	DO NOT FREEZE.
PRO TRIO	32°	DO NOT FREEZE.
PRO ZINC 10 PLUS	32°	DO NOT FREEZE. AVOID STORING IN DIRECT SUNLIGHT.
PROLOGUE®	40°	DO NOT FREEZE.
QUICK ULTRA + AWAKEN	40°	DO NOT FREEZE.
RADIATE®	32°	
REAX BORON	40°	SEE BEST MANAGEMENT PRACTICES GUIDE.
REAX COMPLETE	40°	SEE BEST MANAGEMENT PRACTICES GUIDE.
REAX K	20°	SEE BEST MANAGEMENT PRACTICES GUIDE.
REAX K30	40°	DO NOT FREEZE. SEE BEST MANAGEMENT PRACTICES GUIDE.
REAX MANGANESE	40°	SEE BEST MANAGEMENT PRACTICES GUIDE.
REAX ORGANIC	*	DO NOT FREEZE.
REAX SELECT	40°	SEE BEST MANAGEMENT PRACTICES GUIDE.
REAX ZINC	40°	SEE BEST MANAGEMENT PRACTICES GUIDE.
REBAR® 3	40°	DO NOT FREEZE.
RISER®	0°	SEE BEST MANAGEMENT PRACTICES GUIDE.
RE-NFORCE® K	0°	
RE-NFORCE KS	0°	
TASK FORCE® 3D	32°	DO NOT FREEZE.
TERRAMAR®	40°	DO NOT FREEZE. DO NOT STORE IN DIRECT SUNLIGHT.
TITAN® XC	40°	DO NOT FREEZE. DO NOT STORE IN DIRECT SUNLIGHT.

“DO NOT FREEZE” IS NOT BASED OFF OF TEMPERATURE, BUT RATHER THE PROCESS OF LIQUID > SOLID

THIS DOCUMENT COMPLIMENTS THE SDS AND LABEL, PLEASE REVIEW SDS AND LABEL FOR STANDARD STORAGE PROCEDURES.

© 2019 Loveland Products, Inc. All Rights Reserved. Always read and follow label directions. All trademarks and service marks displayed are marks of their respective owners.

FOR INTERNAL DISTRIBUTION ONLY

[8309-K1119] PAGE 9

Seed Treatment Suggested Storage Stability

PRODUCT	MINIMUM STORAGE TEMP (F°)	RECOMMENDATIONS/NOTES
AMPLIFY® 2	*	
AWAKEN COFLOW®	40°	AVOID FREEZING. WARM THOROUGHLY AND MIX BEFORE USING IF FROZEN.
AWAKEN® ST	STORE ABOVE FREEZING	STORE IN A DRY PLACE ABOVE FREEZING. IF ALLOWED TO FREEZE, ALLOW TO WARM AND THEN MIX THOROUGHLY BEFORE USE.
CONSENSUS®	STORE ABOVE FREEZING AND BELOW 110°	STORE IN COOL, DRY PLACE AWAY FROM DIRECT SUNLIGHT.
DYNA-SHIELD CONQUEST®	32°	
DYNA-SHIELD FLOWTECTION®	*	
DYNA-SHIELD® FLUDIOXINIL	32°	DO NOT FREEZE
DYNA-SHIELD FM	0°	
DYNA-SHIELD FOOHOLD®	STORE ABOVE 40°	STORE BELOW 90°
DYNA-SHIELD FOOHOLD VIROCK®	STORE ABOVE 40°	STORE BELOW 90°
DYNA-SHIELD IMIDACLOPRID 5	STORE ABOVE 40°	STORE BELOW 90°
DYNA-SHIELD METALAXYL 318 FS	STORE ABOVE 40°	STORE BELOW 90°
DYNA-START® 3P SOYBEAN	STORE ABOVE FREEZING	STORE BELOW 90° AND AWAY FROM DIRECT SUNLIGHT.
DYNA-START® MAX	STORE ABOVE FREEZING	STORE BELOW 90° AND AWAY FROM DIRECT SUNLIGHT.
DYNA-START® PBC	STORE ABOVE FREEZING	STORE BELOW 90° AND AWAY FROM DIRECT SUNLIGHT.
DYNA-START® X2 PEANUT	STORE ABOVE FREEZING	STORE BELOW 90° AND AWAY FROM DIRECT SUNLIGHT.
EQUITY® VIP	32°	STORE IN COOL, DRY PLACE. STORAGE FOR EXTENDED PERIODS ABOVE 90° IS NOT RECOMMENDED.
POTATO SD TREATER PS 6%	*	
POTATO SD TREATER PS 8%	*	

"DO NOT FREEZE" IS NOT BASED OFF OF TEMPERATURE, BUT RATHER THE PROCESS OF LIQUID > SOLID

* NO RECOMMENDED TEMPERATURE FOR STORAGE.

** IF ALLOWED TO FREEZE, WARM TO 70° AND SHAKE WELL

THIS DOCUMENT COMPLIMENTS THE SDS AND LABEL, PLEASE REVIEW SDS AND LABEL FOR STANDARD STORAGE PROCEDURES.

© 2019 Loveland Products, Inc. All Rights Reserved. Always read and follow label directions. All trademarks and service marks displayed are marks of their respective owners.

FOR INTERNAL DISTRIBUTION ONLY

PRODUCT	MINIMUM STORAGE TEMP (F°)	RECOMMENDATIONS/NOTES
ALPHANOVA® 4-0-2	40°	**
AQUAMARK®	32°	DO NOT FREEZE.
AQUAMARK® BLACK	*	
AQUAMARK® WSP	40°	DO NOT FREEZE.
BISECT® L	40°	DO NOT FREEZE.
CHASER® TURF	10°	**
CHASER® 2 AMINE	28°	**
ENSIGN® 82.5%	*	
EVADE® 4FL	*	
GAME UP®	0°	IF CRYSTALS FORM, STORE ABOVE 21° AND SHAKE UNTIL DISSOLVED.
KLEENUP® PRO	10°	**
LT 120	*	
MALICE® 2F	32°	
MALICE® 75WSP	*	
MEC AMINE D®	32°	DO NOT FREEZE.
MIZER®	32°	DO NOT FREEZE.
NEPTUNE®	32°	**
PREP-IT®	10°	DO NOT FREEZE.
PROCON-Z®	*	
PROSPECT® 06-00-01	45°	DO NOT FREEZE.
RESPOND®	*	
RESPOND® 3 GRANULAR	*	
RESPOND® 3 TABLET	*	
REVERT®	32°	
TURF TRAX® BLUE	32°	
TURF TRAX® BLUE HC	32°	
TURF TRAX® BLUE WSP	32°	
TURF TRAX® GREEN HC	32°	

“DO NOT FREEZE” IS NOT BASED OFF OF TEMPERATURE, BUT RATHER THE PROCESS OF LIQUID > SOLID

* NO RECOMMENDED TEMPERATURE FOR STORAGE.

** IF ALLOWED TO FREEZE, WARM TO 70° AND SHAKE WELL

THIS DOCUMENT COMPLIMENTS THE SDS AND LABEL, PLEASE REVIEW SDS AND LABEL FOR STANDARD STORAGE PROCEDURES.

© 2019 Loveland Products, Inc. All Rights Reserved. Always read and follow label directions. All trademarks and service marks displayed are marks of their respective owners.

FOR INTERNAL DISTRIBUTION ONLY